

Declaration of Performance



sovereign group limited

Vale Street,
Nelson,
Lancashire
BB9 0TA
UK

16

DoP No: **SGCD01-16**

Sovereign Group Composite Door set (open in or out); intended for use in domestic or commercial refurbishment or new building applications. Including FD30s rated composite door sets (but not in relation to Fire performance).

Annex ZA.1 of BS EN 14351-1:2006+A1:2010

- Watertightness: **NPD**
- Dangerous Substances: **None released under normal intended use**
- Resistance to wind load: **NPD**
- Load-bearing capacity of safety devices: **Not Fitted**
- Acoustic performance: **NPD**
- Thermal transmittance: **≤ 1.5 W/m²k (1)**
- Radiation Properties: **NPD**
- Air permeability: **NPD**

A factory Production Control (FPC) system is established, documented and maintained in accordance with AVCP System 3 as per Annex ZA.2 of BS EN 14351-1:2006+A1:2010.

Notes:

(1): Thermal Transmittance calculation approved by Build Check Ltd, Notified Test Body No. 1806.
Report Ref: CU13193-1, dated 3/7/13

(2): Thermal Transmittance calculation approved by Build Check Ltd, Notified Test Body No. 1806.
Report Ref: CU14163-1, dated 26/6/14

John Hall

Name (Print)

Signature

Director

Position

Date of issue

04-01-16